

Analysis, Diagnostic, and Treatment of Gastric Cancer using Machine Learning Techniques: A Study

R. Delshi Howsalya Devi¹, S. Parasuraman², A. Manimaran², T. Sangeetha³ Sudhakar³

¹Department of Artificial Intelligence & Data Science, KarpagaVinayaga College of Engineering & Technology, Chengalpattu, India

²Department of Electronics and Communication Engineering, KarpagaVinayaga College of Engineering and Technology, Chennai 603308, India

³Department of Biomedical Engineering, KarpagaVinayaga College of Engineering and Technology, Chengalpattu, India

Abstract

Gastric cancer (GC) is a prominent disease with tumors in many of pathological research. Treatment must be suggested for early detection by using pathological confirmation through endoscopic examination. Mostly, 50 years old adults suffer from GC and 50 percent of humans die even with the treatment. This GC has affected adults who have poor prognoses. Most of the GC insists the outcomes as not stable in genetic, microsatellite, and or chromosomal of gastric carcinogenesis. Deep Learning (DL) plays an important role in exploring gastric cancer with higher accuracy with various numerous tests by Convolutional Neural Networks (CNN) than the existing system models. Most of the GC patients are irregular in cell shape with multinucleation common in the nucleus and having more giant cells. Actually, the location of the GC is clearly determined by the DL in the images. The patients were diagnosed by the GC in different methods and various treatments have been analyzed for different sections. This chapter describes proposes (i) the firstly diagnosis of gastric cancer (ii) different treatments with medicine (iii) Prognosis (iv) Prevent gastric cancer. These four works have to be described and implemented by using deep learning. Diagnosis: the upper endoscopy is analyzed to test the stomach cancer. Upper Endoscopy: A Thin tube with a small camera is passed through the throat and into the stomach. It can also be done by taking a sample of tissue from the stomach and further samples are tested in the lab. Treatments: The treatment depends on the location of the affected region(stomach) and its stages. To the relieving pain.Prognosis: Prognosis is how likely your cancer can be cured. At early stages cancer is good but as time goes on, the chance of survival is risky. Even though the treatment is available these may only control the effect of cancer and can prolong your life but cannot be cured completely this prognosis includes the type of cancer, stage, affected region, and overall health. Prevention: Limit your amount of alcohol consumption, avoid smoking and tobacco products, treat helicobacter pylori infection, and aspirin use (with doctor's approval), avoid radiation exposure, and maintain good health with proper physical activities.

Key Words: Gastric Cancer (GC), Pathological, Deep Learning (DL), Tumors, non-Hodgkins lymphoma(NHL), convolutional neural networks (CNN),


1. INTRODUCTION

CANCER is a disease where there is an abnormal growth of cells that affects all other healthy cells and starts to spread among the organs this is called cancer. when this abnormal growth is in the walls of the stomach then it is called stomach cancer or gastric cancer [1]. Trends apply that young patients are being reported to have gastric cancer on the other hand Americans study that this gastric cancer is about the race and age, health condition of the patient. The general cause of this cancer is all about hygiene, improved food standard helicobacter pylori(H.pylori).gastric cancer is a cancer where the growth of the cancer starts from the inner lining of the stomach. This is also called as stomach cancer[2].Then , they grow deeper into stomach walls, as the cancer develops. the stomach wall is made up of 5 layers of tissues from inner lining to outer

lining of stomach .They tissues in the stomach are connective tiissues.this cancer starts in mucosa and spreads through the outer layers as it grows into the stomach. Stomach cancer is different from other cancer that can occur ,these cancers have different symptoms, different outlook, and different treatments.[4]

There are five layers of the stomach. The production of stomach acid and digestive enzymes are made in the innermost layer of the stomach that is mucosa. The first part where the cancer cell develops Next to that layer ,layer called submucosa next to mucosa. The outer layer muscularis propria, a thick layer of muscles, helps in movement and mixing of content in the stomach . The outer layer serosa where this is the outer most layer of the stomach .Development of stomach cancer is over a year it is not a short period of time development-cancer stages occur in the lining of mucosa of the stomach. As they are the initial stage of the stomach cancer they are often undetected .each section or layer of stomach cancer have different symptoms this depends upon the location of cancer cell .The most common type of cancer is adenocarcinoma .This adenocarcinoma is the cancer which develops in the lining if mucosa, this is the most general type of cancer, The other cancer of stomach starts from adenocarcinoma. Gastrointestinal stromal tumor (GIST) this is a special kind of nerve cell that are present in the inner lining of the stomach this GIST is a soft tissue in sarcoma . [8]

Carcinoid Tumors this is a cancer starts in neuroendocrine cells , this cells are present all over the body ,Lymphoma is a cancer which affects the immune system of the cells . immune system is to figh against the grems . most lymphomas that start in stomach are a type of non-Hodgkinslymphoma(NHL). The non - Hodgkins lymphoma are the condition occurs when the body produces too many abnormal lymphocyte, a type of white blood cells.To maintain the homeostasis in human body there is a dynamic balance between cell proliferation and apoptosis .Gastric carcinogenesis which is related to imbalance in the body. The most common type of test is upper endoscopic test which is used to detect the stomach cancer's-ray is also used to detect the stomach cancer in some countries. The active area of cancer are researched .Studying of blood test and other ways to detect the stomach cancer before the treat the symptoms this is still a research by scientists.




a)Tumor cells in the lining in the mucosa (29)

Deep learning(DL) is a subset of machine learning which is a neural network with three or extra layers. These neural networks stimulate the behavior of the brain, permitting to analyze from massive quantities of data. DL algorithms for gastric cancer detection and its being completed a sensitivity close to one hundred percent and a specificity of 80.6% in 3212 real-world WSIS scanned through different scanners. Medical image analysis has seen a lot of coverage of deep learning.

The accuracy of identifying normal and head and neck cancerous tissues using hyperspectral imaging and convolutional neural networks (CNNs) was 91.36%. In a publication by Levin that was published in the Lancet Respiratory Medicine, deep convolutional neural networks were integrated with lung CT scans. He found that technique had a 95% accuracy rate for accurately assessing pulmonary fibrosis. For the diagnosis of small colon polyps (adenomas and hyperplastic polyps), Levin utilized CNN and thin band imaging, and he observed that the exactness was once 94%. Wang accomplished a precision of more than 95% by utilizing two-layered shear-wave elastography related to a CNN to affirm the phase of hepatic fibrosis. Yet, the utilization of view of the abundance of information close by about FHSI and the biochemical intricacy of growth improvement, in this paper, a displaying strategy dependent absolutely upon profound learning joined with the ghastly spatial characterization approach is proposed for fluorescence hyper spectral pictures. This approach utilizes the total range of every pixel and the data from building the model local. This is applied to the early diagnosis of GC to give a goal, quick, and exact symptomatic technique for the early diagnosis of GC. [9].

This is a common block diagram for detection, treatment, prognoses and prevention of the gastric cancer. This detection is detected by deep learning using convolution neural network.



2. Diagnosis of Gastric Cancer:

Diagnosis of gastric cancer includes different tests and procedures. Detecting a stomach cancer includes, looking inside the stomach your doctor may use a small tiny camera to have a look on the parts of stomach and this method is known as upper endoscopy. A narrow tube which is with a small camera is passed through the oesophagus till the gut. Examining tissue for testing assuming malignant growth cells are found in the stomach the part is being disconnected for the test this is called biopsy. This means are finished during upper endoscopy, a device is traveled through the throat to get the examples of the tissue from the stomach. Determining the stages of stomach cancer, there are different stages in stomach cancer each stage is

defined by different tests. Blood test , blood test cannot diagnose stomach cancer, this only gives idea about the health. Stomach ultrasound is an imaging test that are involves longitudinal waves so that recognizing and snapping a photo might be able to see the walls of the stomach. A particular ultrasound tool is used for taking impression of the lining of the stomach. Imaging test, This is to take picture of cancer cells and near by lymph nodes . this tests include computed tomography and positron emission tomography(PET).surgery ,Occasionally image test are not clear so that section is to been seen through cutting the part this is called surgery.

Staging is being done how much the cancer has spread,with stomach cancer, staging ranges from zero(0) to four(4).Zero(0):the cancer hasn't spread beyond stomach lining.Four(4):that has Spread to other organs[5,6].

1)UPPER ENDOSCOPY(GOLD STRANDARD METHOD)

A thin tube with a tiny camera at the tip, which is placed into the mouth until it reaches the stomach. This endoscope is done to remove a tissue sample the sample is further tested in lab for 8;/cancer cells.


2)ENDOSCOPIC ULTRASOUND:

special kind of endoscope, where ultrasound probe are attached to tiny tube, that can take picture of stomach and shows as the spread of cancer (from stomach lining to walls)

3)RADIOLOGIC TESTS:CT scans, Barium swallow and MRI can identify tumors and other abnormalities.

4)BLOOD TESTS: offers the functioning of organs.

5)LAPAROSCOPY: (invasive method)where a tiny camera is inserted into small cuts in the abdomen. So that clear image of organ can be seen directly.[7]



b)View of stomach through endoscopic method

3. Treatments for Gastric Cancer:

Cancer Care teams include a variety of healthcare professionals. Including Physicians,Physician assistants, nurse practitioner, oncology houses social workers, Pharmacists, counsels,etc.These are different team of specialties depending upon the cancer stage

a) Gastroenterologist b) Surgeon / Surgical oncologist c) Medical oncologist d) Radiant Oncologist
e) Pathologist f) Radiologist

Treatment options and recommendations depends on many factor and type and stage of cancer .there are many side effects too depending upon the health condition of the patient and the preferences it is difficult to cure stomach cancer because it is often not found until it is advance stage .The common type of treatment used for stomach cancer

a) Medical procedure b) Radiation treatment c) Chemotherapy d) Designated treatment e) Immunotherapy f) Metastatic stomach malignant growth g) Physical, social, and profound impacts of disease h) Reduction and the recuperation. Most common is chemotherapy or radiation therapy is considered as palliative therapy [3]. This length and quality of life by using chemotherapy for the stomach cancer.

a) Surgery

The goal of surgery is too remove the abnormal growth of the cell around the walls of the stomach lie (lining). Removing small cancer from the stomach lining. To chop down the malignant growth a cylinder is passed down the throat and into the stomach. Exceptional Instruments are gone through the take to remove the most diseases. This framework is known as endoscopic mucosal convergence. This is tertiary stage 1 most tumors that is creating on the inner most covering of the stomach. Eliminating period of stomach. Methodology is alluded to as subtotal gastrectomy the clinical specialist will dispose of the part of gut impacted with the guide of most tumors and some of wellness tissue round it. With the goal that they won't spread significantly more. This relies on the area of strange development of malignant growth.

Eliminating the whole stomach called an all out gastrectomy. This is where chopping down all the stomach and impacted region of the stomach this issue where the specialist associates the thoart to the small digestive system to permit the particles to go direct to the gastrointestinal parcel. This is the therapy for disease in the piece of stomach storeroom to throat. [15][16]

Cutting down lymph nodes to look for cancer

- Removing lymph nodes in the belly to list then for cancer.

There are surgery to relieve the symptoms. Operation to remove part of the stomach may relieve symptoms of a growing cancer. This might be an option for patient to know about the cancer.

Stage 1: Removing away the first lining of the stomach. This should not be done which the cancer starts to spread to muscular layer.

State 2 &3 : Not as stage 1 therapy chemotherapy and radiation treatment might be utilized introductory to holy place the disease. This is simpler to cutdown the development of the disease.

Stage 4: This stage is where the cancer cell starts growth throughout the stomach and into the nearby organ to remove this stage of cancer. The near by organs should be removed from the stomach. Other treatment may include the shrink of cancer cell.[17][18][19][20][21][34][37].

Chemotherapy:

Where drugs are used to kill the cancer cell using chemicals This chemotherapy goes all through our entire body. Which kills the perilous cells. Chemotherapy that just goes on the paunch. This is called hyperthermia Intraperitoneal chemotherapy (HIPEC).

After the evacuation of the malignant growth cell , chemotherapy medication is given in the stomach which is put straightly into the paunch where the synthetic substances are warmed to have more successful and afterward they are depleted. This is just applied in second and third phase of disease. Foundational chemotherapy could assist with contracting the disease so it simpler to eliminate giving chemotherapy before medical procedure is called neo adjuvant chemotherapy.

After the surgery, systemic chemotherapy might be used they are some risk that can cause cancer cell.were left behind This is higher risk where cancer grows deep into the stomach lining and lymph nodes giving adjuvant chemotherapy after that can be used alone or with combination of radiation therapy. This is also systemic chemotherapy which is too advance HIPEC is a treatment is only a option for stages in stomach cancer. This HIPEC helps to destroy any tumour cells that are left behind.[22]

b) Radiation Therapy

High powered beam of electricity to kill most cancers cells.is a remedy Sources of beam are x-ray ,protons or different of radiation remedy affected person is made to lie down underneath the machine. As identical as chemotherapy, most cancers come again as they are low visible. Radiation is used earlier than stage two and three belly most cancers giving radiation earlier than surgical operation is known as neo adjuvant radiation. This is used after surgical treatment and can't be eliminated definitely giving radiation after surgical treatment is referred to as adjuvant radiation. This helps to relieve symptoms.[14]

c) Targeted Therapy

Medicine that attacks specific chemical present within cancer by this chemical attach the cancer cell tends to lie. This is typically used for advanced stomach cancer. Stage 4 cancer can be detected by Target Therapy.[23]

d) Immunotherapy

It assists the body's safe framework with eliminating the disease cell Immunotherapy helps the resistant framework cells find and kill the malignant growth cell. This treats progressed disease palliative disease is a sort where the patient ought to feel great after treatment. A definitive objective is to work on the personal satisfaction for the patients.


e) Prognosis:

The distinction between the more youthful and more seasoned patients and its idea that more youthful patients have more regrettable anticipations than more seasoned patients because of the postponed finding and more forceful cancer conduct. These attributes, stay dubious.[24][25][26][27][28]

	Localized	Regional	Distant	Unstaged
Time Zero	100.0%	100.0%	100.0%	100.0%
1-Year	79.0%	61.5%	19.0%	34.4%

2-Year	69.9%	40.0%	7.4%	21.5%
3-Year	64.6%	29.9%	4.3%	16.5%
4-Year	61.1%	25.3%	3.2%	14.5%
5-Year	59.9%	22.5%	2.9%	14.0%
6-Year	57.0%	20.6%	2.6%	13.1%
7-Year	55.9%	19.0%	2.4%	13.0%
8-Year	54.8%	18.6%	2.3%	13.0%
9-Year	53.3%	17.6%	2.2%	13.0%
10-Year	52.0%	16.8%	2.1%	12.6%

C) prognosis over few year the rate of survival after the given treatment of gastric cancer Survival rate by stage for stomach cancer :



4.Prevention for gastric cancer:

To prevent the gastric cancer you have to drink plenty of water,lemon water warm water.cold milk buttermilk mint juice should be added to your diet.a warm cup if fennel,chamomile or ginger tea is very good to your stomach.which solves stomach bloating and the root causes of the gastritis.take clean and good foods including whole grain foods,fruits and vegetable in your food.exercise everyday to keep body fit.avoid fried and junk foods which cause stomach upset. A gastroenterologist is the man or woman to deal with gastroesophageal reflux illnesses GERD this develops when the acid current in the belly strikes from the belly into the oesophagus which motives burning sensation in stomach.to deal with this sickness transoral incisionless fundoplication is used this is a incision much less technique the place new anti reflux is built at the entrance of the oesophagus the use of a machine this prevents the acid from from getting into into the oesophagus.stay hydrated and avoid carbonated beverages.there are home remedies to avoid gastric cancer add anise caraway coriander fennel turmeric and baking soda out of these add any one to a glass warm water and have this in your diet.limit the amount of alcohol and tobaccos and avoid preserved food with added colour which will cause stomach upset. Have fresh fruits and vegetables juice and tender coconut in diet.there are some medicine like aspirin and non steroidal durgs such as ibuprofen can lower the risk for getting some problems in stomach.[10-13][37-39]

Conclusion:

According to projections, the quantity of most cancer deaths internationally would upward push by means of 45% between 2008 and 2030 (from 7.9 million to 11.5 million deaths), in phase due to a growing old and developing world population. The forecast amplify takes into account predicted small drops in the mortality fees of a variety of malignancies in high-resource nations. According to WHO figures, the wide variety of new instances of most cancers is envisioned to make bigger from 11.3 million in 2008 to 15.5 million in 2030. In the previous 20 years, there has been considerable development in the detection, staging, and remedy of gastrointestinal cancer. The discovery of the phone floor antigens led to the improvement of monoclonal antibodies, which would allow an extra-centered method of treatment. The developing sensitivity and specificity of imaging modalities like EUS and PET- Maintaining good health and eating right will help you avoid serious cancer because prevention is always preferable to treatment. Your eating habits might cause any ailment, so practice good hygiene.

Reference:

1. <https://www.mayoclinic.org/diseases-conditions/stomach-cancer/symptoms-causes/syc-20352438>
2. Yuanpeng Li, Liangyu Deng, Xinhao Yang, Zhao Liu, Xiaoping Zhao, Furong Huang, Siqi Zhu, Xingdan Chen, Zhenqiang Chen, and Weimin Zhang
3. Stomach (Gastric) Cancer. NCI. January 1980. Archived from the original on 4 July 2014. Retrieved 1 July 2014
4. "5.4 Stomach Cancer". World Cancer Report 2014. 2014.
5. "Detailed Guide: Stomach Cancer Treatment Choices by Type and Stage of Stomach Cancer". American Cancer Society. 3 November 2009. Archived from the original on 8 October 2009.
6. Slowik G (October 2009). "What Are The Stages Of Stomach Cancer?". ehealthmd.com. Archived from the original on 2 January 2010.
7. <https://my.clevelandclinic.org/health/diseases/15812-stomach-cancer>
8. <https://www.mayoclinic.org/diseases-conditions/gastrointestinal-stromal-tumors/cdc-203877>
9. <https://opg.optica.org/boe/fulltext.cfm?uri=boe-10-10-4999&id=417450>
10. Ladeiras-Lopes R, Pereira AK, Nogueira A, et al. Smoking and gastric cancer: systematic review and meta-analysis of cohort studies. *Cancer Causes Control*. 2008;19(7):689–701. [PubMed] [Google Scholar]
11. American Cancer Society. Archived from the original on 6 July 2010. Retrieved 31 March 2010.
12. Nomura A, Grove JS, Stemmermann GN, Severson RK (November 1990). "Cigarette smoking and stomach cancer". *Cancer Research*. **50** (21): 7084. PMID 2208177.
13. Trédaniel J, Boffetta P, Buiatti E, Saracci R, Hirsch A (August 1997). "Tobacco smoking and gastric cancer: review and meta-analysis". *International Journal of Cancer*
14. Orditura M, Galizia G, Sforza V, Gambardella V, Fabozzi A, Laterza MM, et al. (February 2014). "Treatment of gastric cancer". *World Journal of Gastroenterology*. **20** (7): 1635–1649. doi:10.3748/wjg.v20.i7.1635. PMC 3930964. PMID 24587643
15. Sun J, Song Y, Wang Z, Chen X, Gao P, Xu Y, et al. (December 2013). "Clinical significance of palliative gastrectomy on the survival of patients with incurable advanced gastric cancer: a systematic review and meta-analysis" (PDF). *BMC Cancer*.
16. Chen K, Xu XW, Zhang RC, Pan Y, Wu D, Mou YP (August 2013). "Systematic review and meta-analysis of laparoscopy-assisted and open total gastrectomy for gastric cancer". *World Journal of Gastroenterology*.
17. Detailed Guide: Stomach Cancer: How Is Stomach Cancer Staged?". American Cancer Society. Archived from the original on 25 March 2008

18. Paterson HM, McCole D, Auld CD (May 2006). "Impact of open-access endoscopy on detection of early oesophageal and gastric cancer 1994 - 2003: population-based study". *Endoscopy*. **38** (5): 503–507. doi:10.1055/s-2006-925124. PMID 16767587.
19. Crane SJ, Locke GR, Harmsen WS, Zinsmeister AR, Romero Y, Talley NJ (October 2008). "Survival trends in patients with gastric and esophageal adenocarcinomas: a population-based study". *Mayo Clinic Proceedings*. **83** (10): 1087–1094. doi:10.4065/83.10.1087. PMC 2597541. PMID 18828967.
20. Heise K, Bertran E, Andia ME, Ferreccio C (April 2009). "Incidence and survival of stomach cancer in a high-risk population of Chile". *World Journal of Gastroenterology*. **15** (15): 1854–862.
21. Ford AC, Forman D, Hunt RH, Yuan Y, Moayyedi P (May 2014). "Helicobacter pylori eradication therapy to prevent gastric cancer in healthy asymptomatic infected individuals: a systematic review and meta-analysis of randomized controlled trials". *BMJ*. **348**: g3174. doi:10.1136/bmj.g3174. PMC 4027797. PMID 24846275
22. Wagner AD, Syn NL, Moehler M, Grothe W, Yong WP, Tai BC, et al. (August 2017). "Chemotherapy for advanced gastric cancer". *The Cochrane Database of Systematic Reviews*.
23. Fusco N, Rocco EG, Del Conte C, Pellegrini C, Bulfamante G, Di Nuovo F, et al. (June 2013).
24. Gastric Cancer at eMedicine.
25. www.proteinatlas.org.26.
26. Uhlen M, Zhang C, Lee S, Sjöstedt E, Fagerberg L, Bidkhori G, et al. (August 2017). "A pathology atlas of the human cancer transcriptome". *Science*. **357** (6352): eaan2507.
27. Calik I, Calik M, Sarikaya B, Ozercan IH, Arslan R, Artas G, Dagli AF (May 2020). "P2X7 receptor as an independent prognostic indicator in gastric cancer". *Bosnian Journal of Basic Medical Sciences*. **20** (2): 188–196. .
28. Parkin DM, Bray F, Ferlay J, Pisani P (2005). "Global cancer statistics, 2002". *CA: A Cancer Journal for Clinicians*.
29. https://www.researchgate.net/publication/286912220_Tumour_Volume_Assessment_in_Gastric_Cancer
30. Marudhu, G., Baraniraj, T., Chandravadhana, A. *et al.* Influence of L-alanine doping on zinc (TRIS) thiourea sulphate (ZTS) single crystals. *Opt Quant Electron* **54**, 700 (2022).
31. Raja, R., Samuel, R.S., Chithambaram, V. *et al.* Investigation of optical, thermal and mechanical studies on semi organic nonlinear optical diaquabis(L-lactato)magnesium (DLLM) single crystal for optoelectronic devices applications. *J Mater Sci: Mater Electron* **33**, 20035–20045 (2022)
32. Varadarajan, S., Kumar, M.S., Shanmugan, S. *et al.* A new class single crystal L-lysine hydrogen chloride (LLHC) for optoelectronic applications. *J Mater Sci: Mater Electron* **32**, 26351–26358 (2021)
33. KALAIARASI, T., SENTHILKUMAR, M., SHANMUGAN, S. *et al.* Synthesis and characterization of L-threonine ammonium bromide: grown on single crystal with experimental studies on NLO. *Bull Mater Sci* **44**, 175 (2021)
34. Vilma Roseline J, **Saravanan D**, (2022), Hybrid Backward Production Scheduling for Manufacturing Systems, *Indian Journal of Natural Sciences*, ISSN: 0976 – 099, Vol.13, Issue 75, PP 51559-51568
35. Saminathan, P., SenthilKumar, M., Shanmugan, S. *et al.* Influence of L-Lysine-doped Tartaric Acid–Potassium Bromide single crystals: growth and characterization of photonic applications. *Indian J Phys* **95**, 1325–1331 (2021)
36. Rajeswari, S., Palani, G., Deepanraj, B. *et al.* Growth and investigations of 3rd order NLO properties of novel semi organic tartaric acid lithium sulfate single crystal for photonics application. *Opt Quant Electron* **52**, 367 (2020)
37. Vilma Roseline J, **Saravanan D**, (2022), Hybrid Backward Production Scheduling for Manufacturing Systems, *Indian Journal of Natural Sciences*, ISSN: 0976 – 099, Vol.13, Issue 75, PP 51559-51568

38. Vilma Roseline J, **Saravanan D**, (2019), Crossover and Mutation Strategies applied in Job Shop Scheduling Problems, Journal of Physics: Conference Series(JPCS), 1377 (2019) 012031 doi:10.1088/1742-6596/1377/1/012031Conference Proceedings.
39. Uma Sankar G, **Saravanan D**, (2018), Single Objective for an Integer Partial Flexible Open Shop Scheduling Problem Using Developed Ant Colony Optimization, International Journal of Mechanical and Production Engineering Research and Development (IJMPERD) ISSN(P): 2249-6890; ISSN(E): 2249-8001 Vol. 8, Issue 3, Jun 2018, PP 1121-1132.